

Technical Data Sheet

UltraSpeed Pro r-Trio Max mop

International article number

173431 (40 cm, CC)

Product classification

Flat mopping

Fibre composition

75% Polyester, 20% Cotton, 5% Polypropylene

Technical data

	Typical value	Unit
Weight per 40 cm mop	117	g
Absorption capacity	250	%



Product properties and application

- Allround single sided mop with easy gliding loop construction adjusting to any floor surface, even when heavily soiled
- To be used with UltraSpeed Pro frames
- Perfected 4-line cleaning zones for maximized dirt removal:
 - Strong scrubbing zone to loosen trapped dirt
 - Microfibre technology for optimum for intensive and deep cleaning without aggressive chemicals
 - Low friction center zone for easy mop gliding
 - Highly absorbent loops and fringes for excellent spill pick-up and collection of loose dirt particles and hair
- Mop is made from up to 36% recycled fibres
- Up to 99.9% virus removal tested with Bovine coronavirus on vinyl surfaces at a 3rd party lab
- Up to 99.99% bacteria removal tested with P. aeruginosa & S. aureus on vinyl surfaces at a 3rd party lab
- User-friendly I-strip mop attachment
- With R/B/G/Y colour code tags for identification and individual adaptation to hygiene systems
- Durability up to 500 washes tested at internal lab with chemical-thermal disinfection at 60°C
- For use on various hard floor types like linoleum, rubber, vinyl, tiles etc
- Suitable for bucket press cleaning
- Made in Europe

Washing recommendation

- Ideal conditions: 60°C, avoid high alkalinity and strong bleaching activity (do not use chlorine bleach), wash with similar colours
- Maximum washing temperature: 95°C

Storage, disposal and end-of life

Keep palletized products in a cold and dry place. Avoid exposure to direct sunlight. Product is not subject to transportation regulations for hazardous substances or chemicals. Disposal via landfill or incineration possible. Please respect local regulations.

Quality assurance / Compliance with international standards

This product is compliant to our internal quality standards and external regulations.

Date: 2023/09/11

ALL INFORMATION CONTAINED HEREIN IS GIVEN ON AN "AS IS" BASIS AND BASED ON OUR CURRENT KNOWLEDGE. NO WARRANTY, WRITTEN OR ORAL, EXPRESSED OR IMPLIED IS GIVEN BY US OR MAY BE INFERRED FROM A COURSE OF DEALING OR USAGE OF TRADE NEITHER BASED ON ADVERTISEMENTS, CONCLUDING ACTION NOR COMMERCIAL USE. TO THE EXTENT ALLOWED BY LOCAL LAW WE DISCLAIM ALL IMPLIED WARRANTIES OR CONDITIONS INCLUDING ANY IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, AND WARRANTIES OF NON-INFRINGEMENT. TECHNICAL DATA ARE TYPICAL VALUES AND SUBJECT TO A CERTAIN TOLERANCE AND VARIATIONS AND CAN BE CHANGED WITHOUT FURTHER PRIOR NOTICE. SOLELY THE CUSTOMER SHALL BE RESPONSIBLE TO ASSESS THE SUITABILITY OF OUR PRODUCTS FOR ANY INTENDED USES AS WELL AS ALL RELEVANT HEALTH, SAFETY AND ENVIRONMENT PROPERTIES AND RISKS.